


Deionizer kit, used for removing dissolved solids from water before use in batteries



ACC-068 Set of Couplings, 6 Ea. Male Quick-Connect x Female Hose Thread & 6-ea. Fem Quick Connect x Fem Hose Thread, w/Check Valve



FLT-070 Adapter for Stealth Watering Systems to Injector Water Supplies and HydroPure Deionizers



FLT-070A Adapter for Stealth Watering Systems to Injector Water Supplies and HydroPure Deionizers (BFS™ compatible)



FLT-070E Adapter for Stealth Watering Systems to Injector Water Supplies and HydroPure Deionizers (BWT™ compatible)



PS-140 10' Input Hose for Deionizers (Black)



PS-150 20' Output Hose for Deionizers (Blue)



PS-190 Flow Restrictor, 0.5 GPM, for use when filling tanks



PS-191 DC Purity Lite, Complete With Tee (PS-300)



PS-600 HydroPure Deionizer cartridge, 600 gallon



PS-PR Pressure Regulator, 40 P.S.I. for use with Deionizers & Stealth Direct Link

© 2015 Philadelphia Scientific LLC All Rights Reserved. Philadelphia Scientific and the PS logo are registered trademarks of Philadelphia Scientific LLC. Hydropure is a trademark of Philadelphia Scientific LLC. E&O.E.